



**NormaLINK** 

---

ALL THE CONTROL  
IN THE PALM  
OF YOUR HAND



# NormaLINK

NORMALINK is a control and monitoring system for **DALI** general and emergency lighting.



It is possible to control from a **mobile device** (IOS/Android) both the general and the emergency lighting in one or several buildings.



This system can be set up and managed in a very simple and intuitive way:

- Make lines of 64 DALI fittings (general or emergency lighting).
- Address and configure the DALI luminaires.
- Connect each DALI line to the gateway ref. IDNG.
- Integrate the DALI gateway (ref. IDNG) into the TCP/IP network of the site.
- Control all the sites/installations from a mobile device with the application NormaLink.

All the control in the palm of your hand


- Make global controls, by type of fitting (luminaire or emergency light) or individually.
- Determine the level of light that you wish from every fitting.
- Create, edit and act on DALI groups.
- Run scenes.
- Receive reports about any type of anomaly in your emergency lighting installation.
- Register all the events in the record of the installation.
- Program and run tests (functional and/or duration) at the most suitable moment.




CONTROL APP



**1** Global quickview of the buildings






2

Building with DALI gateways (up to 64 fittings per gateway)



3

Separate control of general and emergency lighting



4

Scenes execution



5

Emergency light failures per type (lamp, battery, duration and communication)



**NormaLINK** 

All the control  
in the palm of your hand

Normagrup Technology, S.A.  
Parque Tecnológico de Asturias. Parcela 10  
33428 Llanera (Asturias)  
España / Spain  
[www.normagrup.com](http://www.normagrup.com)  
T. +34 985 267 100  
F. +34 985 266 992



**NormaLux**  
**NormaDet**  
**NormaLit**  
**NorClinic**  
**EcoLight**